

	Hits	Search Text	DBs
1	642	central\$5 and (dictionar\$3 or list\$1 or catalog\$1 or categor\$5) and ((unique or distinct or different) near5 (inquir\$3 or quer\$4 or question\$1)) and ((subject\$1 near4 group\$1) or categor\$3) and @ad < "19991118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	50	S2 and (rule\$1 near5 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	29	S3 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	S4 and ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S5 and (ini\$1 adj file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	3	S5 and registr\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3	S7 and structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	3	S8 and (date\$1 or time or size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	(("6259446") or ("6338149") or ("6233545")) .PN.	USPAT
10	1	central\$5 and (dictionar\$3 with (unique or different) with (inquir\$3 or quer\$3)) and (group\$5 or categor\$5 or classif\$5 or vector\$5) and (subject\$1 or topic\$1) and (state adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	12	central\$5 and ((dictionar\$3 or list\$1) with (unique or different) with (inquir\$3 or quer\$3)) and (group\$5 or categor\$5 or classif\$5 or vector\$5) and (subject\$1 or topic\$1) and (state adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	8	S11 and @ad < "19991118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	6	S12 and (rule\$1 with data\$1base\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	S14 and ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	0	S14 and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	S14 and int	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	6	S13 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB